

Angled Patch Panel Accessories

APPLICATION

Angled Patch Panel Accessories include an Angled Management Bar, Front 1RU & 2RU Blank Angled Panels, 1RU Transitional Cover, and 1RU & 2RU Horizontal Cable Managers. Angled Patch Panel Accessories are designed to support maximum angled panel versatility. All Angled Patch Panel Accessories mount to standard 19-inch racks and cabinets.



SPECIFICATION

Angled Patch Panel Accessories shall include an angled rear management bar, 1RU & 2RU blank panels, 1RU transitional cover, and 1RU & 2RU patch-cord managers. The angled rear management bar shall be a rear mountable support bar and shall include 5-inch Velcro[®] Brand fasteners to manage angled patch panel cable terminations. Blank panels shall fill in unused rack units while maintaining an angled profile. The transitional cover shall provide a solution for transitioning from angled to standard flat patching or active equipment while protecting angled panel terminations. Angled horizontal cable organizers shall provide efficient patch-cord management for angled panels. Accessories shall be constructed of 14 AWG steel powder-coated black. Accessories shall be c(UL)us listed and comply with the mounting requirements established in EIA-310-E for 19-inch industry standard racks and cabinets.

FEATURES & BENEFITS

- Angled management bar facilitates cable organization
- Blanks panels are available in 1RU and 2RU sizes to fill in unused rack units
- Transitional cover protects panel termination field
- Horizontal Cable Managers, available in 1RU and 2RU versions, handle high-volume cord distribution from angled patch panels at the front of equipment racks, cabinet enclosures, and hinged wall-brackets

DESIGN CONSIDERATIONS

- Mounts on 19-inch equipment racks
- Angled rear manager mounts directly to rear rack rail or optional panel extension kit (Part no. E2X1F-BKT, recommended for cabinet installation)

STANDARDS COMPLIANCE

- c(UL)us
- EIA-310-E

MECHANICAL SPECIFICATIONS

| | |
|--------------------|--|
| Dimensions: | See page two |
| Materials: | 14-gauge steel; black powder coat finish |
| Mounting: | 19-inch rack mount |
| Temp. (Storage): | -40 °C to +70 °C (-40 °F to +158 °F) |
| Temp. (Operating): | -10 °C to +60 °C (+14 °F to +140 °F) |
| Humidity (Max.): | 95% relative humidity, non-condensing |

COUNTRY OF ORIGIN

49006-AMB: Taiwan
49254-Bxx: Mexico
49254-LPM: Taiwan

WARRANTY INFORMATION



For Leviton product warranties, go to Leviton.com/NS/Warranty

49254-Bxx, 49006-AMB, 49254-LPM



PRODUCT SPECIFICATIONS
49254-Bxx, 49006-AMB, 49254-LPM

49254-Bxx, 49006-AMB, 49254-LPM



49006-AMB





49254-BA1





49254-BA2





49254-BC1



49254-LPM



49254-BCM



PRODUCT SPECIFICATIONS
49254-Bxx, 49006-AMB, 49254-LPM



49254-Bxx, 49006-AMB, 49254-LPM

| PART NUMBERS | |
|--|-----------|
| Description | Part No. |
| Front Blank Angled Panel, 1RU | 49254-BA1 |
| Front Blank Angled Panel, 2RU | 49254-BA2 |
| Angled Horizontal Cable Organizer, 1RU | 49254-LPM |
| Angled Horizontal Cable Organizer, 2RU | 49254-BCM |
| Angled Rear Management Bar | 49006-AMB |
| Transitional Cover, 1RU | 49254-BC1 |

For further support information, visit Leviton.com/NS/Support

Page 3 of 3

USA
Network Solutions Headquarters
+1 (800) 722 2082
infoUSA@leviton.com

Leviton Cable (formerly Berk-Tek)
+1 (800) 237 5835 | infoUSA@leviton.com

Asia Pacific
+852 3620 2602
infoAPAC@leviton.com

Canada
+1 (800) 461 2002
infoCanada@leviton.com

Europe
+44 (0) 1592 772124
infoEurope@leviton.com

Latin America
MX: +52 (55) 2128 6286
LATAM: +52 (55) 2333 5963
infoLATAM@leviton.com

Middle East & Africa
+971 (4) 247 9800
infoMEA@leviton.com

NETWORK SOLUTIONS PRODUCTS ARE AVAILABLE WORLDWIDE IN OVER 100 COUNTRIES. VISIT US ONLINE AT LEVITON.COM/NS TO LEARN MORE.