

Flat QuickPort® Patch Panels with eXtreme® Cat 5e Connectors

APPLICATION

Leviton Flat QuickPort Patch Panels are designed for use on standard 19-inch racks and cabinets. The patch panels are kitted with eXtreme Cat 5e connectors which include patented Retention Force Technology to promote consistent performance over the life of the system. The unique configurable panel design allows for quick single-circuit replacement or reconfiguration. This panel also allows for insertion of alternative QuickPort connectors to customize the application. The Cat 5e system is designed for quick installation and reliable performance in a variety of network settings.



SPECIFICATION

Patch panels shall meet or exceed the requirements for Category 5e described in ANSI/TIA-586.2-D as well as the Class D requirements described in ISO/IEC 11801. The panels shall feature both T568A and T568B wiring configurations, mounting standoffs for cable management bars, and front write-on labeling. The panels shall be made of 16-gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire retardant with a UL flammability rating of 94V-0. The panels shall be offered in 24- and 48-port configurations. Panels shall have the ability to allow for single port replacement of connectors.

FEATURES

- Kitted with Leviton eXtreme Cat 5e connectors (black)
- Patented Retention Force Technology protects tines from damage from 4- or 6-pin plugs
- Craft-friendly installation
- Terminates 26-22 gauge solid conductors
- Front write-on labeling areas

DESIGN CONSIDERATIONS

- Mounts on 19-inch equipment racks
- Panel offered in 24- or 48-Port configurations
- One cable management bar included per panel

STANDARDS COMPLIANCE

ANSI/TIA-568.2-D

ISO/IEC 11801

ANSI/TIA-1096-A (formerly FCC Part 68)

cULus Listed

- IEEE 802.3at (Type 1) Power over Ethernet (PoE) applications up to 15.4 watts
- IEEE 802.3at (Type 2) Power over Ethernet (PoE+) applications up to 30 watts
- IEEE 802.3bt (Type 3) Power over Ethernet (PoE+) applications up to 60 watts

PHYSICAL SPECIFICATIONS

Dimensions: See page two

Capacity: 24- and 48-port

Materials: 16-gauge steel, painted black; PCB and plastic components are rated per UL 94V-0

COUNTRY OF ORIGIN

USA

WARRANTY INFORMATION

For a copy of Leviton product warranties, visit www.leviton.com/warranty.

Leviton Network Solutions

2222 - 222nd St. SE
Bothell, WA 98021-4416

tel 1-800-824-3005
tel +1-425-486-2222
appeng@leviton.com
www.leviton.com

Asia / Pacific

T +1.631.812.6228
E infoasean@leviton.com

Europe

T +44.0.1592.772124
E customerserviceeu@leviton.com

Canada

T +1.514.954.1840
E pcservice@leviton.com

India / SAARC

T +971.4.886.4722
E infoindia@leviton.com

Caribbean

T +1.954.593.1896
E infocaribbean@leviton.com

Mexico

T +52.55.5082.1040
E lsamarketing@leviton.com

China

T +852.2774.9876
E infochina@leviton.com

Middle East & Africa

T +971.4.247.9800
E lmeinfo@leviton.com

Colombia


T +57.1.743.6045
E infocolombia@leviton.com

South Korea

T +82.2.3273.9963
E infokorea@leviton.com

ELECTRONIC FILES

For CAD files, typical specs, or technical drawings (.DXF, .DWG), visit www.leviton.com.



5G270-U24, 5G270-U48

PART NUMBERS

Description	Part No.
Flat QuickPort® Patch Panel, 24-Port, 1RU, with eXtreme® Cat 5e connectors	5G270-U24
Flat QuickPort Patch Panel, 48-Port, 2RU, with eXtreme Cat 5e connectors	5G270-U48

Leviton Network Solutions 2222 - 222nd St. SE Bothell, WA 98021-4416 tel 1-800-824-3005 tel +1-425-486-2222 appeng@leviton.com www.leviton.com	Asia / Pacific T +1.631.812.6228 E infoasean@leviton.com	Canada T +1.514.954.1840 E pcservice@leviton.com	Caribbean T +1.954.593.1896 E infocaribbean@leviton.com	China T +852.2774.9876 E infochina@leviton.com	Colombia T +57.1.743.6045 E infocolombia@leviton.com
	Europe T +44.0.1592.772124 E customerserviceeu@leviton.com	India / SAARC T +971.4.886.4722 E infoindia@leviton.com	Mexico T +52.55.5082.1040 E lsamarketing@leviton.com	Middle East & Africa T +971.4.247.9800 E lmeinfo@leviton.com	South Korea T +82.2.3273.9963 E infokorea@leviton.com