



EV Series

Safe, Smart Electric Vehicle Charging

FOR RESIDENTIAL, COMMERCIAL, FLEET AND PUBLIC APPLICATIONS





SINGLE-FAMILY
Detached or semi-detached homes



MULTI-FAMILY
Apartments, condos and other MDUs



WORKPLACE
Office buildings or corporate campuses



SINGLE-FAMILY
Detached or semi-detached homes



EV Series Standard

EV320 • EV480 • EV800

A GREAT ALL-AROUND CHARGER

- Fast and secure charging of any SAE J1772™* compatible electric vehicle
- Optional access control; station comes with RFID disabled - simply tap RFID card to activate
- Cable design prevents cord from freezing and cracking in extreme weather
- For indoor and outdoor use, with a thermoplastic, water-resistant enclosure rated NEMA Type 3R
- Easy installation with pre-attached input cable and mounting hardware included

* Leviton's NACS Adapter allows our Level 2 charging stations to charge all Teslas as well



works with
my leviton

EV Series Smart Home

MY LEVITON COMPATIBILITY

EV32W • EV40P • EV48W • EV80W

ALL THE FEATURES OF THE STANDARD EV SERIES PLUS...

- Control your entire smart home, including electric vehicle charging, lighting and load center
- Schedule charging sessions
- Remotely start/stop charging
- View all smart devices on one dashboard
- View charging status
- Receive fault notifications

LEVITON
EV-Pro

Leviton Certified
EV Charging Installer

**LOOKING FOR A
CERTIFIED INSTALLER?**

Scan here
to view EV-Pro
Contractors
in your area.



EV Series

Safe, Smart Electric Vehicle Charging



MULTI-FAMILY
Apartments, condos
and other MDUs



WORKPLACE
Office buildings or
corporate campuses




FLEET
Charging your
electric fleet



PUBLIC
Retail and other
public sites

*EV charger
management
and networking
powered by AmpUp*



EV Series Pro MANAGEMENT SOFTWARE VIA 4G

EV48G • EV80G
(STANDARD FACE)

EV48S • EV80S
(FEATURING LED STATUS SCREEN)

MULTI-SITE, MULTI-STATION MANAGEMENT IN A SINGLE DASHBOARD

- Real-time analytics and data
- Automated charging and sustainability reporting
- Create multiple user groups for access control
- Control pricing according to user group access

CHARGING MANAGEMENT SOFTWARE THAT MEETS BOTH DRIVER AND ADMINISTRATIVE NEEDS

- Multiple access control policies available via RFID, with the ability to tailor restrictions based on the needs of your site
- Notifications to station users for charging availability and business communications
- Advanced load management for lower costs while maintaining station volume
- Revenue collection during off-peak hours to offset cost
- Fleet telematics integration capabilities

The brand that goes beyond the charger...

At Leviton, we don't just provide EV chargers, we provide the total EV electrical infrastructure, including surge protection, load center, metering, safety disconnects, and more.



Ordering Information

ALL LEVITON EV CHARGERS ARE ENERGY STAR & UL CERTIFIED



EV320, EV480, EV800

EV Series Standard (No App or Networking Capabilities)

EV32W, EV40P, EV48W, EV80W

EV Series Smart Home: My Leviton Compatibility

- View charging station status, fault notifications, and more!
- My Leviton app control can include electric vehicle charging, lighting and load centers



EV48G, EV80G (Standard Face)

EV48S, EV80S (Featuring LED Screen)

EV Series Pro: Management Software Via 4G

- Multi-site, multi-station management in a single dashboard
- Charging management software that meets both driver and administrative needs



REFER TO COLOR CODES FOR MODEL DETAILS	EV320	EV32W	EV40P	EV480	EV48W	EV48G	EV48S	EV800	EV80W	EV80G	EV80S
Amperage	32 A		40 A**		48 A				80 A		
Breaker	40 A		50 A		60 A				100 A		
Voltage	208/240 VAC										
Charge Connector Cord	#10 AWG SAE J1772*				#7 AWG SAE J1772*					#6 AWG SAE J1772*	
Charging Cable Length	18 ft. (5.5 m)		25 ft (7.6 m)		18 ft. (5.5 m)						
Hardwire/Plug-In	Hardwire		Plug-In		Hardwire						
Station Operating Temp.	-22 °F to 122 °F (-30 °C to 50 °C)										
Enclosure Rating	NEMA Type 3R for both Indoor/Outdoor Use										
Standards & Certification	UL2594, UL 2231-1, UL 2231-2, UL 2251, UL 62, UL 991, UL 1998, NFPA 70 Article 625, UL840, CSA Std. C22.2#280										
Access Control	All stations come with optional access control via RFID cards										
Warranty (Limited)	2-Year				3-Year		2-Year		3-Year		

*With Leviton NACS Adapter (Part Number: NACSA), Leviton's Level 2 charging stations can charge all Teslas

**Adjustable from 16 A - 40 A

EV SERIES ACCESSORIES

Dual Mount Pedestal, Side/Side with Retractable Cord Management

FULL PEDESTAL IS MADE OF THE FOLLOWING PARTS - ALL 3 MUST BE PURCHASED TOGETHER

Pedestal Body	EPCM1-OF3
Mounting Template	EPCM2-OF3
Retractable Cord Management System	EPCM3-OF3



Single or Dual Mount Pedestals

Single Mount	EPED1
Dual Mount, Front/Back	EPED2
Wall Hook	EHOOK



EV Pedestal Foundation

A direct-bury installation option for use with any pedestal. Allows for simplified installations and future-proofing properties.

EBASE



Additional RFID Cards

For use with any EV Series Charger

ERFID

NEMA 14-50R EV Charging Heavy Duty Single Receptacles*

Industrial Grade	1450R
Industrial Grade, Weather-Resistant	1450W*

*For use only with plug-in EV charging station (Leviton EV40P)
**Must be installed in a 2-gang outdoor box and must use code compliant weatherproof cover



NACS Adapter

For use with any EV Series Charger

NACSA



Visit our Website at:
www.leviton.com/EVcharging
 email: commercial@leviton.com
 Q-1503B

Leviton Manufacturing Co., Inc.
 201 N Service Rd, Melville, NY 11747
 Telephone: 1-800-323-8920 • FAX: 1-800-832-9538
 Tech Line: 1-800-824-3005 (M-F 8AM-10PM; Sat 9AM-7PM; Sun 9AM-5PM)

© 2024 Leviton Manufacturing Co., Inc. All rights reserved.

030724